

GROUND ZERO 2011

Modell	Specifications	EURO
Ground Zero Iridium Line		
GZIA 2075HPX	output power 4 ohm 2 x 50 WRMS / 2 ohm 2 x 75 WRMS, 150 W max; trimode, 2 ohm stable lowpass 30-250 Hz variable; highpass 40-3000 Hz variable, high power input	89,00
GZIA 2125HPX	output power 4 ohm 2 x 75 WRMS / 2 ohm 2 x 120 WRMS, 300 W max; trimode, 2 ohm stable lowpass 30-250 Hz variable; highpass 40-3000 Hz variable, high power input	119,00
GZIA 2230HPX	output power 4 ohm 2 x 150 WRMS / 2 ohm 2 x 220 WRMS, 500 W max; trimode, 2 ohm stable lowpass 30-250 Hz variable; highpass 40-3000 Hz variable, high power input	149,00
GZIA 4110HPX	output power 4 ohm 4 x 100 WRMS / 2 ohm 4 x 100 WRMS, 450 W max; bridgeable, 2 ohm stable lowpass 30-250 Hz variable; highpass 40-3000 Hz variable, Bass boost, high power input	169,00
GZIF 4003X	10 cm 2-way coax with superdome tweeter, 60 / 100W, special grill	39,00
GZIF 5203X	13 cm 2-way coax with superdome tweeter, 70 / 110W, special grill	49,00
GZIF 6503X	16,5 cm 2-way coax with superdome tweeter, 80 / 120W, special grill	59,00
GZIF 6904X	6 x 9" triax with polyimide mid-range and superdome tweeter, 120 / 180W, special grill	79,00
GZIC 525X	13 cm compo system, 6dB cable crossover, 19mm Silk dome Tweeter, 90 / 140W, special grill	79,00
GZIC 650X	16,5 cm compo system, 6dB cable crossover, 19mm Silk dome Tweeter, 100 / 150W, special grill	89,00
GZIW 250X	25 cm 250 watts, 2" 4ohm voice coil, PP-cone, Xmax 14mm, FS 30 Hz, Qts 0.46, SPL 85.4dB	79,00
GZIW 300X	30 cm 350 watts, 2" 4ohm voice coil, PP-cone, Xmax 14mm, FS 27 Hz, Qts 0.54, SPL 86.4dB	99,00
GZIB 100X	300W Bassreflex Box, 32L, with GZIW 250X, protection bars, with sideapplication	159,00
GZIB 120X	350W Bassreflex Box, 42L, with GZIW 300X, protection bars, with sideapplication	179,00
GZIB 1200BT NEW	350W Basstunnel Box, 37L, with GZIW 300X	179,00
GZIB 120ACT NEW	Active Bassreflex Box, 150WRMS, 42L, with GZIW 300X, protection bars and sideapplication	249,00
Ground Zero Titanium MK² Amplifier		
GZTA 2155X NEW	output power 4 ohm 2 x 75 WRMS / 2 ohm 2 x 100 WRMS, 300 W max; trimode, 2 ohm stable lowpass 40-400 Hz variable; highpass 40-400 Hz variable, Bass boost and Bass remote	139,00
GZTA 2255X NEW	output power 4 ohm 2 x 150 WRMS / 2 ohm 2 x 200 WRMS, 500 W max; trimode, 2 ohm stable lowpass 40-400 Hz variable; highpass 40-400 Hz variable, Bass boost and Bass remote	199,00
GZTA 4125X NEW	output power 4 ohm 4 x 75 WRMS / 2 ohm 4 x 100 WRMS, 500 W max; bridgeable, 2 ohm stable lowpass 40-400 Hz variable; highpass 40-400 Hz variable, Bass boost and Bass remote	179,00
GZTA 5120X NEW	5-channel amp, output power 4 ohm 4 x 50 WRMS + 1 x 180 WRMS / 2 ohm 4 x 75 WRMS + 1 x 250 WRMS, 2 ohm stable, lowpass 40-400 Hz variable; highpass 40-400 Hz variable, sub 40-220Hz Bass boost and Bass remote	279,00
GZTA 5125X NEW	6-channel amp, output power 4 ohm 4 x 75 WRMS + 2 x 125 WRMS / 2 ohm 4 x 100 WRMS + 2 x 180 WRMS, 2 ohm stable, lowpass 40-400 Hz variable; highpass 40-400 Hz variable, sub 40-220Hz Bass boost	369,00
GZTA 1.800DX NEW	Monoamp, 1 x 720 (850 max.) WRMS at 1 ohm, variable lowpass 30-250Hz/ subsonic 10-50Hz/ bass boost 45Hz bass remote, max input voltage 16 volt; linkable amp 1 x 1400 WRMS @ 2 ohm (1700 max.)	289,00
GZTA 1.1200DX NEW	Monoamp, 1 x 1400 (1500 max.) WRMS at 1 ohm, variable lowpass 30-250Hz/ subsonic 10-50Hz/ bass boost 45Hz bass remote, max input voltage 16 volt; linkable amp 1 x 2800 WRMS @ 2 ohm (3000 max.)	389,00
Ground Zero Titanium MK² Digital Capacitor with red voltage display		
GZTC 1.0MK ²	1.0 farad power cap 16/20 Volt surge, resistance <0,0020 ohm, +/- 10%, incl. plexiglas brackets	89,00
Ground Zero Titanium Coax / Composystem		
GZTF 10TX	10 cm 2-way coax with turnable superdome tweeter, 60 / 100W, special grill	49,00
GZTF 13TX	13 cm 2-way coax with turnable superdome tweeter, 70 / 110W, special grill	59,00
GZTF 16TX	16,5 cm 2-way coax with turnable superdome tweeter, 80 / 120W, special grill	69,00
GZTF 69TX	6 x 9" triax with polyimide mid-range and superdome tweeter, 120 / 180W, special grill	99,00
GZTC 130T	13 cm compo system, 6/12dB crossover, 19mm Silk dome Tweeter, 90 / 140W, special grill	109,00
GZTC 165T	16,5 cm compo system, 6/12dB crossover, 19mm Silk dome Tweeter, 100 / 150W, special grill	119,00
GZTC 2165T	Dual 16,5 cm compo system, 6/12dB crossover, 25mm Silk dome Tweeter, 150 / 220W, special grill	229,00
GZHT 19SD	19 mm silk dome tweeter (from GZTC 165T) with accessories and 3,3µF capacitor	29,00
Ground Zero Titanium Subwoofer		
GZTW 20TX NEW	20 cm 200 watts, 1.5" 2 x 2ohm voice coil, PP-cone, Xmax 12mm, FS 38,0 Hz, Qts 0.43, SPL 87.5 dB	69,00
GZTW 25T	25 cm 300 watts, 2" 3.8ohm voice coil, PP-cone, Xmax 14mm, FS 29,7 Hz, Qts 0.30, SPL 88.0 dB	89,00
GZTW 30TX NEW	30 cm 400 watts, 2" 2 x 2ohm voice coil, PP-cone, Xmax 14mm, FS 25,0 Hz, Qts 0.44, SPL 90.2 dB	99,00
GZTW 38T	38 cm 500 watts, 2" 3.8ohm voice coil, PP-cone, Xmax 14mm, FS 20,1 Hz, Qts 0.37, SPL 91.4 dB	129,00
GZTG 200T	20 cm Protection grill for 8" woofer	"only Mastercarton of 10 pcs." 13,00
GZTG 250T	25 cm Protection grill for 10" woofer	"only Mastercarton of 10 pcs." 15,00
GZTG 300T	30 cm Protection grill for 12" woofer	"only Mastercarton of 10 pcs." 17,00
GZTG 380T	38 cm Protection grill for 15" woofer	"only Mastercarton of 10 pcs." 29,00
GZAP 80A	Ground Zero Aeroport with 30cm tube in dark silver	16,50
GZAP 80B	Ground Zero Aeroport with 30cm tube in black	16,50
GZAP 80Y	Ground Zero Aeroport with 30cm tube in yellow	16,50
Ground Zero Titanium Subwoofer Power Box		
GZTB 200BR	vented box 18 L net volume with GZTW 20T and GZTG 200T	"packed 2 in mastercarton" 159,00
GZTB 250BR	vented box 34 L net volume with GZTW 25T and GZTG 250T	"packed 2 in mastercarton" 209,00
GZTB 300BR	vented box 42 L net volume with GZTW 30T and GZTG 300T	NEW STYLE 239,00
GZTB 2300BR	bassreflex box with 2 x GZTW 30T and protection grill, 78 liter netto	349,00
GZTB 200ACT NEW	20 cm flat 7,8cm active subwoofer 50-100Hz with build in amp 100WRMS (160 watt max.) with bass remote	199,00
Ground Zero Titanium Digital Capacitor with blue voltage display		
GZTC 1000T	1.0 farad power cap 16/20 Volt surge, resistance <0,0020 ohm, +/- 15%, incl. plexiglas brackets	119,00
Ground Zero Radioactive Subwoofer		
GZRW 25C	25 cm design woofer 400 WRMS, castbasket, 2,5 inch 2 x 2 ohm voicecoil, woven in leads, Xmax 18mm	189,00
GZRW 30C	30 cm design woofer 500 WRMS, castbasket, 2,5 inch 2 x 2 ohm voicecoil, Xmax 18mm	219,00
GZRW 300X NEW	30 cm 500 watts, castbasket (same woofer as in GZRB 1300X), 2 inch 1 x 4ohm VC, Papercone, woven in leads	159,00
GZRW 10 XD-AL	25 cm 400 watts, castbasket, 2 x 4ohm 2" VC , Alucone, woven in leads, Xmax 18mm, SPL 89,5dB	169,00
GZRW 12 XD-AL	30 cm 500 watts, castbasket, 2 x 2 ohm 2.5" VC , Alucone, woven in leads, Xmax 20mm	199,00
GZRW 12FL NEW	30 cm 500 watts flat subwoofer, 2,5" 2 x 2ohm voicecoil, woven in leads,	199,00
GZRW 30SPL	30 cm 1000 watts competition power, castbasket, 2,5" 2 x 2ohm voicecoil, woven in leads, Xmax 20mm, SPL 92dB	219,00
GZRW 38SPL	38 cm 2000 watts competition power, castbasket, 3" 2 x 2ohm voicecoil, woven in leads, Xmax 25mm, SPL 95dB	379,00

Ground Zero Radioactive Subwoofer Power Box

GZRB 10XBT	vented box - bass tunnel with GZRW 10S-AL, plexiglas front and LED, protection bar	249,00
GZRB 2250XBT NEW	vented box - bass tunnel with 2 x GZRW 10S-AL, plexiglas front and LED, protection bar	399,00
GZRB 250BPX NEW	bandbass box - with GZRW 250X woofer, plexiglas window and port , mirror, blue/white LED light, 12 L cl. / 24 L ve.	299,00
GZRB 12XBT	vented box - bass tunnel with GZRW 12S-AL, plexiglas front and LED, protection bar	299,00
GZRB 300BPX NEW	bandbass box - with GZRW 300X woofer, plexiglas window and port , mirror, blue/white LED light, 19 L cl. / 39 L ve.	329,00
GZRB 120SPL	vented box - 2 GZ aeroports with GZRW 30SPL, protection bar, plexiglass top	399,00
GZRB 150SPL	vented box - 4 GZ aeroports with GZRW 38SPL, protection bar, plexiglass top	699,00
GZRB 2300X	bandbass box - with 2 x cast woofer 1 x 4 ohm, plexiglas window, mirror, blue LED light, 50 L closed / 60 L vented	549,00
GZRB 300ACT NEW	30cm subwoofer in bassreflex box, including amp. 250 W RMS @ 4 ohm, RCA & Highpower input, Lowpassfilter Phaseshiftswitch 0/180°, Bassremotecoontrol with cable	349,00

Ground Zero Radioactive Amplifier

GZRA 2.200G NEW	Glass G amplifier, output power 4 ohms 2 x 125 WRMS / 2 ohms 2 x 200 watts, trimode, 2 ohm stable high/lowpass adjustable x-over, with fan	269,00
GZRA 4.100G NEW	Glass G amplifier, output power 4 ohms 4 x 70 WRMS / 2 ohms 4 x 100 watts max., trimode, 2 ohm stable, high/lowpass adjustable x-over, with fan	269,00
GZRA 1.600D NEW	Monoamp, 1 x 600 (700 max.) WRMS at 1 ohm, variable lowpass / subsonic >200 damping factor; bass remote, max input voltage 16 volt	309,00

Ground Zero Radioactive Coax / Composystem

GZRF 46X	10 x 15 cm 2- way coax with superdome tweeter, conex spider, 60 / 100W	69,00
GZRF 42X	10 cm 2-way coax with superdome tweeter, conex spider, 50 / 90W	59,00
GZRF 52X	13 cm 2-way coax with superdome tweeter, conex spider, 60 / 100W	69,00
GZRF 13FX	13 cm 2-way coax with superdome tweeter, conex spider, 50 / 90W, extra flat only 44mm	69,00
GZRF 65X	16,5 cm 2-way coax with superdome tweeter, conex spider, 70 / 120W	79,00
GZRF 16FX	16,5 cm 2-way coax with superdome tweeter, conex spider, 60 / 100W, extra flat only 44mm	79,00
GZRM 165	"Marine" 16,5 cm 2-way coax with superdome tweeter, conex spider, 70 / 120W white and waterproof	79,00
GZRF 5768X	5 x 7 + 6 x 8 coax combination speaker with superdome tweeter, conex spider, 90 / 135W	99,00
GZRF 69X	6 x 9" triax with polyimide mid-range and superdome tweeter, conex spider, 100 / 180W	119,00
GZRF 6900P	Power 6 x 9" triax with polyimide mid-range and superdome tweeter, 2" voicecoil , conex spider, 250 / 350W	179,00
GZRC 10X	10 cm compo system, 12dB crossover, Silk dome Tweeter, 80 / 120W	139,00
GZRC 100FX NEW	10 cm compo system, 12dB crossover, Silk dome Tweeter, 80 / 120W extra flat only 32mm	139,00
GZRC 13X	13 cm compo system, 12dB crossover, Silk dome Tweeter, 100 / 150W	149,00
GZRC 130FX	13 cm compo system, 12dB crossover, Silk dome Tweeter, 90 / 140W extra flat only 41mm	149,00
GZRC 16X	16,5 cm compo system, 12dB crossover, Silk dome Tweeter, 120 / 180W	159,00
GZRC 165FX	16,5 cm compo system, 12dB crossover, Superdome Tweeter, 110 / 160W, extra flat only 44mm	159,00
GZRC 6857X	5 x 7" + 6 x 8" compo system, 12dB crossover, Superdome Tweeter, 120 / 180W	159,00
GZRK 65X	16,5 cm Kickbass with rubber surround (pair)	79,00
GZRK 160XP	16,5 cm Power Kickbass 1.5" VC, 140/200W (pair)	129,00
GZRX 160TX	1 set special x-over and tweeter for GZRK 160XP or GZMW 200NEO to complete the power compo set	99,00
GZRX 2-Way KICK	1 set special x-over for GZRK 65, GZRK 160XP or GZMW 200NEO to make any 3-way system	99,00
GZMW 200NEO	20cm Neodym flatwoofer with grill; package is 1 pcs.only	109,00
GZBR 200BMW NEW	BMW Mounting bracket for 20cm woofer, pecially for GZMW 200NEO; package is 1 pcs.only	29,00

Ground Zero Hydrogen Subwoofer silver powder coated with Alucone

GZHW 20X	20 cm 400 watts, 2 inch 2 x 2 ohm teflon alu voicecoil, VOXR surround, alucone	199,00
GZHW 25X	25 cm 600 watts, 2 inch 2 x 2 ohm teflon alu voicecoil, VOXR surround, alucone	239,00
GZHW 30X	30 cm 800 watts, 2.5 inch 2 x 2 ohm teflon alu voicecoil, VOXR surround, alucone	289,00
GZHW 38X	38 cm 1000 watts, 2.5 inch 2 x 2 ohm teflon alu voicecoil, VOXR surround, alucone	319,00

Ground Zero Hydrogen Subwoofer Bandpass Box

GZHB 20XBT	with GZHW 20X, bassreflex tunnel enclosure with 20 liter, 20mm MDF, plexiglas front with LED	299,00
GZHB 25XBT	with GZHW 25X, bassreflex tunnel enclosure with 35 liter, 20mm MDF, plexiglas front with LED	359,00
GZHB 30XBT	with GZHW 30X, bassreflex tunnel enclosure with 55 liter, 22mm MDF, plexiglas front with LED	399,00
GZHB 38XBT	with GZHW 38X, bassreflex tunnel enclosure with 90 liter, 22mm MDF, plexiglas front with LED	469,00
GZHB 3000XII	with GZHW 30X, bandpassbox with 28 L and 29 L and plexiglass with LED	498,00

Ground Zero Hydrogen Coax / Component Systems with black cast basket

GZHF 402X	10 cm coax system, Castbasket, Superdome Tweeter, 60 / 100W	79,00
GZHF 552X	13 cm coax system, Castbasket, Superdome Tweeter, 70 / 110W	89,00
GZHF 652X	16,5 cm coax system, Castbasket, Superdome Tweeter, 90 / 140W	99,00
GZHF 693X	6" x 9" triax system, Castbasket, Superdome Tweeter, 125 / 200W	159,00
GZHC 13X	13 cm compo system, Castbasket, silk dome Tweeter, 80 / 120W	199,00
GZHC 16X	16,5 cm compo system, Castbasket, silk dome Tweeter, 100 / 150W	229,00
GZHT 20S	High quality 20 mm silk dome tweeter with accessories and 3,3µF capacitor, silk dome "Made in Germany"	39,00

Ground Zero Hydrogen Amplifier with Phaseshift

GZHA 2250XII	output power 4 Ohm 2 x 145WRMS / 2 Ohm 2 x 225WRMS / 1 x 600WRMS mono, trimode, 2 ohm stable, low / band highpass / subsonic adjustable x-over, subboost 12dB, phaseshift 180°, external Bassvolume remotecontrol	319,00
GZHA 2350XII	output power 4 Ohm 2 x 240WRMS / 2 Ohm 2 x 430WRMS / 1 Ohm 2 x 530WRMS , 1 x 1500W max. dual power supply, bassremote, variable lowpass / subsonic / bass boost / boost frequency / phaseshift	449,00
GZHA 4120XII	output power 4 ohms 4 x 75 WRMS / 2 ohms 4 x 100 WRMS, trimode, dual mosfet powersupply high/lowpass adjustable x-over, subboost 12dB, phaseshift 180", external Bassvolume remotecontrol	419,00
GZHA 4150XII	output power 4 ohms 4 x 85 WRMS / 2 ohms 4 x 115 WRMS, trimode, dual mosfet powersupply high/lowpass adjustable x-over, subboost 12dB, phaseshift 180", external Bassvolume remotecontrol	419,00
GZHA 5125XII	output power 4 ohms 4 x 75 + 1 x 250 WRMS / 2 ohms 4 x 100 + 1 x 370 WRMS, triple power supply high/lowpass adjustable x-over, subboost 12dB, phaseshift 180", external Bassvolume remotecontrol	569,00
GZHA 1.1200DXII	Monoamp, 1 x 1400 (1500 max.) WRMS at 1 ohm, linkable into 1 x 2800 (3000 max.) WRMS at 2 ohm variable lowpass / subsonic / phaseshift, Bass remote control	499,00
GZHA 1.1800DXII	Monoamp, 1 x 1800 (2000 max.) WRMS at 1 ohm, linkable into 1 x 3600 (4000 max.) WRMS at 2 ohm variable lowpass / subsonic / phaseshift, Bass remote control	619,00

Ground Zero stainless steel brackets

GZMG 165/6.5 NEW	Design grill for GZNW 6.5 and all our 16.5cm speaker	69,00
GZMG 20/8	New wave design metal bracket from our subwoofer boxes	15,00
GZMG 25/10	New wave design metal bracket from our subwoofer boxes	17,00

GZMG 30/12	New wave design metal bracket from our subwoofer boxes	20,00
GZMG 38/15	New wave design metal bracket from our subwoofer boxes	27,00
Ground Zero Equalizer and Converter		
GZEQ 4.7X	4-Band parametric equalizer with pre-amp 7 volts and active subwoofer crossover new one	119,00
GZCV 5.2HL NEW	High-Low converter & Line-driver, output 5 volt RMS (8 volt peak) auto remote	79,00
Ground Zero ANL Fuseholder incl. 200A ANL fuse with voltage display		
GZFH 200	ANL fuseholder water resistant, incl. 1 x 200 ampere fuse, 50/20 mm ² in - and output	59,00
GZFH 3200	ANL fuseholder , incl. 3 x 200 ampere fuse, 2 x 50/20 mm ² input and 3 x 20/10 mm ² output	89,00
Ground Zero Powerkit in Blisterbox		
GZPK 10	6m Powerc. red, 1m Powerc. black, 5m RCA triple shield, 5m speakerc., 60 A ANL Fuseh., div. accessories	49,00
GZPK 10-4	6m Powerc. red, 1m Powerc. black, 5m 4-ch. RCA triple shield, 10m speakerc. , 60 A ANL Fuseh., div. accessories	59,00
GZPK 10LC	6m Powerc. red, 1m Powerc. black, 5m RCA single shield, 2.5m speakercable , 60 A AGU Fuseh., div. accessories	29,00
GZPK 20	6m Powerc. red, 1m Powerc. black, 5m RCA triple shield, 5m speakerc., 60 A ANL Fuseh., div. accessories	69,00
GZPK 35	6m Powerc. red, 1m Powerc. black, 5m RCA triple shield, 5m speakerc., 200 A ANL Fuseh., div. accessories	89,00
GZPK 50	6m Powerc. red, 1m Powerc. black, 5m RCA triple shield, 5m speakerc., 300 A ANL Fuseh., div. accessories	119,00
GZCY 30	Y Adapter, 1 female in - 2 male out	2,69
GZCC 5.1LC	5m RCA single shield , same as in PK10LC	7,00
GZCC 5.3	5m RCA triple shield, same as in PK10/20	13,00
Ground Zero Uranium Subwoofer		
GZUW 12XII NEW	30 cm 1500 WRMS, 3 inch 2 x 2 ohm voicecoil, special paper - kevlar cone, double spider, in black cast basket	399,00
GZUW 15XII NEW	38 cm 2000 WRMS, 3 inch 2 x 2 ohm voicecoil, special paper - kevlar cone, double spider, in black cast basket	499,00
Ground Zero Uranium Subwoofer "Made in Germany"		
GZUW 250SQ	25 cm 500 watts, 2.6 inch 2 x 3 ohm voicecoil, special compound alucone, double spider, Qts 0.42	419,00
GZUW 300SQ	30 cm 700 watts, 2.6 inch 2 x 3 ohm voicecoil, special compound alucone, double spider, Qts 0.42	449,00
Ground Zero Uranium Subwoofer Box		
GZUB 250BT	with GZUW 250SQ, Bassreflexunnel 38 liter with plexiglasfront, protectionbar and LED	549,00
GZUB 300BT	with GZUW 300SQ, Bassreflexunnel 60 liter with plexiglasfront, protectionbar and LED	599,00
GZUB 800ACT	20 cm flat 6,8cm cast active subwoofer 50-100Hz with build in amp 100WRMS (160 watt max.) with bass remote	339,00
GZUB 1000ACT	25 cm flat 7,8cm cast active subwoofer 50-100Hz with build in amp 120WRMS (180 watt max.) with bass remote	399,00
Ground Zero Uranium Capacitor with blue 3 digit Voltage display, Distribution block		
GZUC 1200X	1,2F black chrome capacitor, massive power terminals black chrome	129,00
Ground Zero Uranium Sound Quality amplifier with SMD technology		
GZUA 2125SQ	output power 4 ohm 2 x 100WRMS / 2 ohm 2 x 175WRMS / 1 x 400WRMS max. mono, trimode, 2 ohm stable, adjustable Q / high / low / band / pass / subsonicfunction, >400 damping factor	479,00
GZUA 2225SQ higher grade SQ	output power 4 ohm 2 x 225WRMS / 2 ohm 2 x 375WRMS / 1 ohm 2 x 550WRMS, 1200WRMS max., 1 ohm stable, adjustable Q / high / low / band / pass / subsonicfunction, external Bassvolume remotecontrol	699,00
GZUA 4125SQ higher grade SQ	output power 4 Ohm 4 x 135WRMS / 2 Ohm 4 x 225WRMS , 1000 WRMS max., bridgeable, 2 ohm stable adjustable Q / high / low / band / pass / subsonicfunction, >400 dampingfactor new mosfets and pre amp (SQ up)	699,00
GZUA 2250DX full range digital	output power 4 ohm 2 x 220WRMS / 2 ohm 2 x 340WRMS / 1 x 700WRMS max. mono, trimode, 2 ohm stable, high / lowpass, Bass boost 18dB and frequency 50Hz >250 damping factor	559,00
GZUA 4135DX full range digital	output power 4 Ohm 4 x 120WRMS / 2 Ohm 4 x 170WRMS , 700 WRMS max., bridgeable, 2 ohm stable high / lowpass, >250 dampingfactor	559,00
GZUA 5600DX full range digital	output power 4 Ohm 4 x 70WRMS + 1 x 250WRMS / 2 Ohm 4 x 100WRMS + 1 x 250WRMS (4ohm), 650 WRMS max., bridgeable, 2 ohm stable, high / lowpass, phaseshift, Bass boost 18dB and frequency 45Hz, bassremote, >250 dampingfactor	669,00
GZUA 1.1000DX 16 volt small size	Monoamp, 1 x 1000 (1200 max.) WRMS at 1 ohm, linkable into 1 x 1900 (2200 max.) WRMS at 2 ohm variable lowpass / subsonic / bass boost / phaseshift, >400 damping factor; input voltage max 16 volt	499,00
Ground Zero Uranium component system "Made in Germany"		
GZUC 130X	13cm compo system with phaseplug, black alucone, cast basket, silk dome tweeter "made in Germany" , 90 / 160 W	579,00
GZUC 13X	13cm kickbass with dustcap, black alucone, cast basket, "made in Germany"	329,00
GZUC 165X	16,5cm compo system with phaseplug, black alucone, cast basket, silk dome tweeter "made in Germany" , 110 / 180 W	659,00
GZUC 16X	16,5cm kickbass with dustcap, black alucone, cast basket, "made in Germany"	379,00
Ground Zero Nuclear Subwoofer		
GZNW 6.5 NEW	16,5cm 350 WRMS mini sub woofer , 1 x 4 ohm voicecoil, triple spider,	199,00
GZNW 12	30 cm 2000 watts, 3 inch 2 x 2 ohm voicecoil, triple spider, Xmax 70mm, FS 35,3 Qts 0.43, SPL 88,0dB	599,00
GZNW 12SPL	30 cm 4500 watts comp. power, 3 inch 2 x 1.0 ohm voicecoil, triple spider, FS 30,2 SPL 89,1dB	749,00
GZNW 15	38 cm 2500 watts, 3 inch 2 x 2 ohm voicecoil, triple spider, Xmax 70mm, FS 37,8 Qts 0.49, SPL 91,0dB	699,00
GZNW 15SPL	38 cm 6500 watts comp. power, 3 inch 2 x 0.9 ohm voicecoil, triple spider, FS 36.5, Qts 0.41 SPL 91.7dB	929,00
Ground Zero Nuclear Subwoofer Bassreflex Box		
GZNB 30BT	with GZNW 12, bassreflexunnel enclosure with 60 litres	799,00
GZNB 38XBT	with GZNW 15, bassreflexunnel enclosure with 90 litres	899,00
GZNB 3800SXT	SUPER XXL bandpassbox with GZNW 15; 38 L and 126 L; basstunnel; plexiglas and blue neon light ; 22mm MDF;	1599,00
Ground Zero Nuclear Amplifier with Phaseshift, Subsonicfilter, Dual-Mosfet-Power		
GZNA 2800XII	2 ch. Amp. 4 ohm 2 x 430 WRMS / 2 ohm 2 x 800 WRMS / 1 ohm 2 x 1200 WRMS variable LPF & HPF, bassboost+frequency, phaseshift, subsonic: bass remote; ANL fuse	739,00
GZNA 4350XII NEW	4 ch. Amp. 4 ohm 4 x 180 WRMS / 2 ohm 4 x 310 WRMS / 1 ohm 4 x 400 WRMS / 2000 W max. 1 ohm stable, variable LPF/BPF/HPF, 12dB bassboost, phaseshift, subsonic, bass remote; ANL fuse	639,00
GZNA 1.2500DXII Class D	Monoamp, 1 x 1800 (2800 max.) WRMS at 1 ohm, linkable into 1 x 3500 (5000 max.) WRMS at 2 ohm variable lowpass / subsonic / bass boost / boost frequency / phaseshift	879,00
Ground Zero Nuclear Capacitor with blue digit Voltage display, Distribution block		
GZNC 1500X	1.5 farad power cap 16 Volt; 20 Volt peak, resistance <0,0015 ohm, +/- 10%, black chrome finish, big distribution block, blue LED design stripes	179,00
Ground Zero Nuclear high end component system "Made in Germany"		
GZNC 1650X NEW	16,5cm compo system, peekcone, cast basket, silk dome tweeter with adopted volume, 150 / 250 W	989,00
GZNC 165X NEW	16,5 cm midwoofer from GZNC 1650X, (price for one pair)	459,00
GZHT 28	25mm silk dome tweeter from GZNC 1650, Made in Germany , high temp. neodym magnet, Fs 1500Hz	189,00
GZNT 25S	25mm silk dome ring radiator tweeter with separate 12 dB crossover, 900 Hz resonance frequency, SPL 91,8dB	79,00
Ground Zero Plutonium Subwoofer		
GZPW 12limited NEW	30 cm 3000 watts, 4" 2 x 2.0 ohm voicecoil, triple spider, limited quantity to 555pcs.	499,00

GZPW 12SPL	30 cm 6500 watts comp. power, 3" 2 x 0.9 ohm voicecoil, quad spider , Fs 42,6 Hz, Qts 0.47, SPL 92.2dB	949,00
GZPW 15XQ	38 cm 5000 watts, 4" 4 x 1.0 ohm voicecoil, double spider, Xmax 70mm, Fs 30 Hz, Qts 0.27, SPL 91.3dB	1199,00
GZPW 15SPL	38 cm 10.000 watts comp. power, 4" 2 x 1.0 ohm voicecoil, quad spider , Fs 39,1 Hz, Qts 0.23, SPL 92.8 dB	1549,00
GZPW 15SPL-Extreme	38 cm 10.000 watts comp. power, 4" 2 x 1.0 ohm voicecoil, five spider and unbreakable carbon cone	1899,00
GZPW 18SPL	46 cm 10.000 watts comp. power, 4" 2 x 1.0 ohm voicecoil, quad spider , Fs 34,0 Hz, Qts 0.26, SPL 95.1 dB	1749,00
GZPW 18SPL-Extreme	46 cm 10.000 watts comp. power, 4" 2 x 1.0 ohm voicecoil, five spider and unbreakable carbon cone	2199,00
GZP 15	38 cm Passivradiator for use with GZPW 15 and GZPW 15XQ in seal box 45-60 L net volume	319,00
GZPB 1500BT	with GZPW 15XQ, bassreflex tunnel enclosure with 100 litres	1599,00

Ground Zero Plutonium class D competition mono amp

GZPA 1.4000D 16 volt	Monoamp, 1 x 2700 (3500 max.) WRMS at 1 ohm, linkable into 1 x 4500 (6500 max.) WRMS at 2 ohm variable lowpass / subsonic / bass boost / phaseshift, >400 damping factor; input voltage max 16 volt	1199,00
GZPA 1.6500SPL 18 volt	Monoamp, 1 x 5800 (8000 max.) WRMS at 1 ohm, linkable into 1 x 11000 (15.000 max.) WRMS at 2 ohm variable lowpass / subsonic / bass boost / phaseshift, >200 damping factor; input voltage max 18 volt	2199,00
GZPA 1.10000XSPL 18 volt NEW	Monoamp, 1 x 8500 (10000 max.) WRMS at 1 ohm, linkable into 1 x 16000 (19.000 max.) WRMS at 2 ohm variable lowpass / subsonic / bass boost / phaseshift, >200 damping factor; length only 70cm; input voltage max 18 volt	2799,00
GZPA 1.10000SPL-HC 16 volt	Monoamp, 1 x 8500 already at 12 volt (10000 max.) WRMS @ 1 ohm, linkable into 1 x 16000 (19.000 max.) WRMS @ 2 ohm 2 ohm, variable lowpass / subsonic / bass boost / phaseshift, >200 damping factor; input voltage max 16 volt	3599,00
GZPA 1.20000SPL-HC 16 volt	Monoamp, 1 x 17000 already at 12 volt (20000 max.) WRMS @ 2 ohm variable lowpass / subsonic / bass boost / phaseshift, >200 damping factor; input voltage max 16 volt	5999,00
GZBM 1000	Linkmodul for all linkable amplifier for perfect switching	59,00

NEW

Ground Zero Plutonium SQ high end amp

GZPA Reference 2 HIGH END	2 channel Pure SQ amplifier 2 x 420WRMS @ 4 ohm, 2 x 750WRMS @ 2 ohm, 2x 1150WRMS @ 1ohm, bias setting, high and low pass filter, plexiglass bottom with LED light, in copper heatsink	2199,00
GZPA Reference 4 HIGH END	4 channel Pure SQ amplifier dual 2 channel 4 x 150WRMS @ 4 ohm, 4 x 270WRMS @ 2 ohm, 4 x 425WRMS @ 1ohm, bias setting, high and low pass filter, plexiglass bottom with LED light, in copper heatsink	2199,00

Ground Zero Plutonium high end component system "Made in Germany"

GZPC 165SX HIGH END	16,5cm compo system, 50mm voicecoil, phase plug, silkdome tweeter GZHT 28SE with adopted volume, alu case, 175 / 300 W, high end crossover separate for tweeter and midwoofer including connection for the kickwoofer	1499,00
GZPK 160K	16,5 cm kick midwoofer with dustcap, (price for one pair)	599,00
GZHT 25SE	25mm silkdome tweeter with adopted volume from GZPC 165SX	329,00
GZHT 28SE	28mm silkdome tweeter with adopted volume lower FS, higher SQ	459,00
GZPM 60SQ NEW	6 cm midwoofer 50 WRMS @ 4 ohm, 200 - 20000Hz, Mounting depth 30mm, including grill,	119,00
GZPM 80SQ	8 cm midwoofer 70 WRMS @ 4 ohm, 200 - 20000Hz, Mounting depth 39mm	119,00
GZPM 100SQ	10 cm midwoofer with dual neodym magnet and phaseplug, 70/150 WRMS, SPL 89dB	429,00
GZPC 16P Midwoofer	16,5 cm midwoofer with phaseplug, (price for one pair) same as in the system GZPC 165SX	599,00
GZPC - Crossover	Standard crossover (from GZUC 16SQ). Use together with GZPC 16P midwoofer and tweeter GZHT 28 or GZHT 25SE	99,00

NEW

Ground Zero Plutonium SQ high end "matched" component system "Handmade in Europe" (1 year full warranty)

GZPT reference 25	25 mm silkdome tweeter with two adopted volume	1199,00
GZPT reference 28 NEW	28 mm silkdome tweeter with adopted volume	1299,00
GZPM Reference 100	10 cm midrange with phaseplug; hybrid motor and special kevlar cone including grill in wooden box	1299,00
GZPK Reference 180	18 cm midrange with phaseplug; hybrid motor and special kevlar cone including grill in wooden box	2199,00
GZPW Reference 18	18 cm woofer with dustcap; hybrid motor and special kevlar cone including grill in wooden box	2199,00
GZPX Ref. 2.180	2 way x-over for Ref. 25 and Ref. 180	699,00

Ground Zero Digital Capacitor with 4 digit Voltage display, Distribution block

GZPC 1500	1.5 farad square power cap 20 Volt; 24 Volt peak, resistance <0,0015 ohm, +/- 10%, chrome finish, big distribution block, wooden gift box, metal brackets in chrome	229,00
GZPC 12.0FX NEW	12 farad amp style hybrid power cap 16/20 Volt; +/- 10%, black rubber/brushed alu finish, 2 x 35/50 mm ² pos./neg. distribution block, white volt display and white LED	279,00

Ground Zero High Power Batterie Pack " Made in Europe "

GZBP 12.1000 NEW	Batteriepack 12 Volt 25 Ah; 1000 Ampere competition power (L x W x H = 181 x 77 x 167mm), 7kg	199,00
GZBP 12.5000 NEW	Batteriepack 12 Volt 120 Ah; 5000 Ampere competition power (L x W x H = 330 x 173 x 214mm), 34kg, 12,48 liter	699,00
GZBP 16.3000 NEW	Batteriepack 16 Volt 55 Ah; 3000 Ampere competition power (L x W x H = 260 x 164 x 180mm), 21kg	539,00
GZBP 12.2500 improved	Batteriepack 12 Volt 70 Ah; 2500 Ampere competition power (W x D x H = 265/278x165/175x193 mm)	419,00
GZBP 12.3500 improved	Batteriepack 12 Volt 90 Ah; 3500 Ampere competition power (W x D x H = 340/352x165/175x193 mm)	519,00

Ground Zero Competition Line (all items are per pieces)

GZCW 5-4Y	13 cm midwoofer with Phaseplug, 85-7000 HZ, 180 W, 4 ohm, 91 dB, including grill	79,00
GZCW 6-4Y	16,5cm midwoofer with Phaseplug, 65-7000 HZ, 200 W, 4 ohm, 92 dB, including grill	89,00
GZCW 8-4F	20 cm flat midwoofer, 150-7000 Hz, 500 W, 4 ohm 98 dB, including grill	89,00
GZCF 8-4NEO-SPL NEW	20 cm SPL midwoofer with Neodym magnet and copperring, 100-15000 Hz, 600 W @ 4 ohm, >98 dB	299,00
GZCW 10-4	25 cm midwoofer 2 inch voicecoil, 65-4500 Hz, 500 W, 4 ohm, 94 dB, including grill	89,00
GZCT 2500	High Power titanium tweeter 60 W, 95 dB, 3 ohm, 2000-22000 Hz (like PH 25) price per piece	55,00
GZCT 3500	High Power horn tweeter 100 W, 104 dB, 3 ohm, 3500-20000 Hz (like PH 35) price per piece	35,00
GZCT 1800	High Power compression tweeter 85 W, 108 dB, 4 ohm, 4000-20000 Hz, price per piece in black	55,00
GZCT 2200	High Power compression tweeter 100 W, 107 dB, 8 ohm, 4000-20000 Hz (like CP22) price per piece	89,00
GZCT 0500	High Power horn tweeter 100 W, 106 dB, 3 ohm, 3000-20000 Hz (like AST 05) price per piece	55,00
GZCX 130/160	X-over for GZCW 5-4Y or GZCW 6-4Y and GZCT 2500 (sold in pair)	99,00

Ground Zero Video Monitor

GZVM 700HRXII	7" 16:9 HQ TFT LCD Monitor, Stand / Headrest bracket , Lum. 350cd/m ² , 1440(H) x 234(V) lines, OSD menu, IR audio integrated, PAL / SECAM / NTSC, IR remote control, 1 x AV input	189,00
GZVH 627IF	Infrared Headphone for GZVM 700HRX and GZVM 1004CM	49,00

Ground Zero Head Units

GZCR 235USB NEW	CD / MP3 / USB / SD / MMC - Card Receiver, 4 x 40 W output power, detachable front, 1 x RCA line out, RDS with radiotext function, FM/AM tuner, 30 station, EQ, including IF remotecontrol, white illumination	139,00
GZCR 335BT NEW with bluetooth	CD / MP3 / USB / SD / MMC - Card Receiver, 4 x 40 W output power, detachable front, 1 x RCA line out, Blue tooth RDS with radiotext function, FM/AM tuner, 30 station, EQ, including IF remotecontrol, white illumination	159,00
GZCR 755MON NEW with 7" TFT display TOUCH SCREEN	DVD / CD / MP3 / MP4 / DIVX / WMA / JPEG / SD / MMC - Card Receiver, 7" motorized wide-screen with touch-panel, Display angle adjustment, 4 x 50 W output power, EQ, 2 x RCA line out, subwoofer line out, RDS, FM/AM tuner 30 station, AV in-output, Dual zone, 2 x IF remotecontrol, white illumination	499,00